MERCURIUS SOLUBILIS- hahnemanns soluble mercury granule Seroyal USA

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

MERCURIUS SOLUBILIS

Active Ingredient

MERCURIUS SOLUBILIS (Hahnemann's soluble mercury) 12CH GR

MERCURIUS SOLUBILIS (Hahnemann's soluble mercury) 15CH GR

MERCURIUS SOLUBILIS (Hahnemann's soluble mercury) 200K GR

MERCURIUS SOLUBILIS (Hahnemann's soluble mercury) 30CH GR

MERCURIUS SOLUBILIS (Hahnemann's soluble mercury) 30K GR

MERCURIUS SOLUBILIS (Hahnemann's soluble mercury) 4CH GR

MERCURIUS SOLUBILIS (Hahnemann's soluble mercury) 5CH GR

MERCURIUS SOLUBILIS (Hahnemann's soluble mercury) 6CH GR

MERCURIUS SOLUBILIS (Hahnemann's soluble mercury) 7CH GR

MERCURIUS SOLUBILIS (Hahnemann's soluble mercury) 9CH GR

MERCURIUS SOLUBILIS (Hahnemann's soluble mercury) MK GR

MERCURIUS SOLUBILIS (Hahnemann's soluble mercury) XMK GR

Indications

For the temporary relief of fatigue

Warning

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Inactive Ingredients

Lactose,

sucrose.

Directions

Adults: Take five granules three times daily or as recommended by your healthcare practitioner.

Children: Take three granules and follow adult directions.

QUESTIONS? 1-888-737-6925.

Indications

For the temporary relief of fatigue

Directions

Adults: Take five granules three times daily or as recommended by your healthcare practitioner.

Children: Take three granules and follow adult directions.



NDC: 62106-5175-4

MERCURIUS SOLUBILIS

Hahnemann's soluble mercury

140 granules

Indications

For the temporary relief of fatigue

Drug Facts

ACTIVE INGREDIENT: Listed above. USE: Condition listed above or as directed by a health professional. WARNING: If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. DIRECTIONS: Adults: Take five granules three times daily or as recommended by your healthcare practitioner. Children: Take three granules and follow adult directions. INACTIVE INGREDIENTS: Lactose, sucrose. QUESTIONS? 1-888-737-6925.

Dist. by Seroyal USA, Pittsburgh, PA 15275 Made in Belgium by s.a. UNDA n.v.

Lot: T00000 Exp: 00/0000

Seroyal

UNDA

Do not use if label perforation is broken

Homeopathic Remedy

NDC: 62106-5175-4

MERCURIUS SOLUBILIS

Hahnemann's soluble mercury

140 granules

Indications

For the temporary relief of fatigue

INDA"

perforation is broken

Do not use if label

MERCURIUS SOLUBILIS

hahnemanns soluble mercury granule

Dro	duct	Infor	mation
Pro	(111(.1	IIIIOr	manon

Product TypeHUMAN OTC DRUGItem Code (Source)NDC:62106-5175

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

MERCURIUS SOLUBILIS (UNII: 324Y4038G2) (MERCURIUS SOLUBILIS - UNII:324Y4038G2) MERCURIUS SOLUBILIS | 6 [hp_X]

Inactive Ingredients

8		
	Ingredient Name	Strength
LACTOSE (UNII: J2B2A4N98G)		
SUCROSE (UNII: C151H8M554)		

Packaging

	ackaging	Chaging		
#.	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62106-5175-4	10 in 1 CARTON	0 1/29/20 15	
1		140 in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		0 1/29 /20 15	

Labeler - Seroyal USA (018361118)

Establishment			
Name	Address	ID/FEI	Business Operations
SAN'UP		40 10 10 28 7	manufacture(62106-5175)

Revised: 12/2019 Seroyal USA